

A photograph of a rustic wooden restaurant table. In the foreground, a person's hands are holding a terracotta bowl filled with a green salad. To the right, another similar bowl with a different salad sits on a matching plate. The table is cluttered with various items: a large glass carafe of water, a smaller carafe of olive oil, several wine and water glasses, a plate of bread, and other dishes. In the background, a person is partially visible, and a small candle provides warm lighting.

A SUMMER OF CELEBRATION

**Money Saving
Coupons Inside!**

CALDARELLA'S
RESTAURANT SUPPLY


Family owned & operated since 1898

Telephone: (915) 771-7780
Toll Free: 1 (877) 741-8038
caldarellas.com

SEE OUR NEW ITEMS INSIDE!



Dishwasher Thermometer, Pg. 3



Folding Thermometer, Pg. 3



Power Drive, Page 5



High Speed Oven, Page 8



Provection Oven, Page 9



SwivelKing, Page 13



Dishmachine, Pg. 14

INDEX

Food Pans & Covers	Page 2
Cutlery	Pages 2-3
Thermometers	Pages 3-4
Scales	Pages 3-4
Food Delivery Bags	Pages 3, 7
Timers	Page 4
Mixers	Page 5

Food Processors	Page 5
Slicers	Pages 5-6
Food Pan Carriers	Page 6
Ovens	Pages 7-9
Toaster	Page 8
Sandwich Presses	Page 8
Fryers	Page 8
Charbroilers	Page 8

Hot Plates	Page 8
Ranges	Page 9
Steamers	Page 9
Topping Rail	Page 9
Food Prep Tables	Page 10
Freezers	Pages 10-11
Merchandisers/Cabinets	Pages 10-12
Refrigerators	Page 11

Shelving	Page 11
Ice Machines	Page 12
Sinks & Faucets	Page 13
Gas Connector Kits	Page 13
Casters & Chocks	Page 13
Glass & Dish Machines	Page 14
Aprons, Cloths, Towels	Page 16
Oven Mitt & Pot Holder	Page 16



V-LO® CUTLERY & UTENSILS

- Patented, state-of-the-art handle design offers both comfort and control
- Soft-to-the-touch, & with the firmness you need with a modern, attractive look
- Proprietary DEXSTEEL™ stain-free, high-carbon steel blade, individually ground and honed edge



Item #	Description	Price/ea.
29473	Paring Knife, 3 1/2"	Call
29003	Boning Knife (Flexible), 6"	Call
29383	Utility Knife (Scalloped), 8"	Call
29243	Cook's Knife, 8"	Call
29253	Cook's Knife, 10"	Call
29273	Santoku (Duo-Edge), 7"	Call
29323	Sandwich Knife (Offset/Scalloped), 9"	Call
29343	Roast Slicer (Duo-Edge), 12"	Call
29123	Diamond Sharpener, 12"	Call
29443	Cook's Fork, 13"	Call



PLPA8002BK



PLPA8002

POLYCARBONATE FOOD PANS

- Shatter-resistant
- Prevents stains from food acids and oils
- Easy to clean and dishwasher safe
- Can withstand temperatures of -40°F to 212°F

Item #	Description	Price/ea.
PLPA8002	Full Size, 2 1/2"D	Call
PLPA8004	Full Size, 4"D	Call
PLPA8006	Full Size, 6"D	Call
PLPA8008	Full Size, 8"D	Call
PLPA8122	Half Size, 2 1/2"D	Call
PLPA8122L	Half Size/Long, 2 1/2"D, Clear	Call
PLPA8124	Half Size, 4"D	Call
PLPA8124L	Half Size/Long, 4"D, Clear	Call
PLPA8126	Half Size, 6"D	Call
PLPA8128	Half Size, 8"D	Call
PLPA8132	Third Size, 2 1/2"D	Call
PLPA8134	Third Size, 4"D	Call
PLPA8136	Third Size, 6"D	Call
PLPA8138	Third Size, 8"D	Call
PLPA8142	Quarter Size, 2 1/2"D	Call
PLPA8144	Quarter Size, 4"D	Call
PLPA8146	Quarter Size, 6"D	Call
PLPA8162	Sixth Size, 2 1/2"D	Call
PLPA8164	Sixth Size, 4"D	Call
PLPA8166	Sixth Size, 6"D	Call
PLPA8192	Ninth Size, 2 1/2"D	Call
PLPA8194	Ninth Size, 4"D	Call

For black pans, add BK to end of item number.



THUNDER GROUP



PLPA7000CBK

PLPA7000C

POLYCARBONATE FOOD PAN COVERS

- Handles provide a secure grip
- Easy to clean
- Dishwasher safe

Item #	Description	Price/ea.
PLPA7000C	Full Size, Solid or Slotted, Clear or Black	Call
PLPA7120C	Half Size, Solid or Slotted, Clear or Black	Call
PLPA7120LC	Half Size/Long, Solid or Slotted, Clear or Black	Call
PLPA7130C	Third Size, Solid or Slotted, Clear or Black	Call
PLPA7140C	Quarter Size, Solid or Slotted, Clear or Black	Call
PLPA7160C	Sixth Size, Solid or Slotted, Clear or Black	Call
PLPA7190C	Ninth Size, Solid or Slotted, Clear or Black	Call

For slotted covers, add S to end of item number.

For black covers, add BK to end of item number.

POLYCARBONATE FOOD PAN DRAIN SHELVES

- Shatter-resistant
- Sturdy feet help to support contents and allow room for easy drainage
- Easy to clean
- Dishwasher safe



PLPA7000DSBK



Item #	Description	Price/ea.
PLPA7000DS	Full Size, Black or Clear	Call
PLPA7120DS	Half Size, Black or Clear	Call
PLPA7120LDS	Half Size/Long, Black or Clear	Call
PLPA7130DS	Third Size, Black or Clear	Call
PLPA7140DS	Quarter Size, Black or Clear	Call
PLPA7160DS	Sixth Size, Black or Clear	Call

For black shelves, add BK to end of item number.



TITAN PROFESSIONAL CUTLERY

- Forged cutlery of unparalleled quality and value
- Made with premium grade stain-free, high carbon steel
- The tapered grinding and stone finishing means the edge will be long-lasting and easy to re-sharpen
- All Titan Knives come with a FREE knife guard and lifetime limited warranty

Item #	Description	Price/ea.
3411-3 1/2	Paring Knife, 3 1/2"	Call
3413-6	Boning Knife (Flexible), 6"	Call
3409-5GE	Santoku (Hollow Edge), 5"	Call
3409-7GE	Santoku (Hollow Edge), 7"	Call
3410-6	Chef's Knife, 6"	Call
3410-8	Chef's Knife, 8"	Call
3410-10	Chef's Knife, 10"	Call
3421-8E	Bread Slicer (Serrated Edge), 8"	Call
3427-11GE	Straight Slicer (Hollow Edge), 11"	Call



TITAN PROFESSIONAL CUTLERY SET

- This forged series offers cutlery of unparalleled quality and value
- This set includes: 2 1/2" Peeling Knife (3441-2-1/2), 3 1/2" Paring Knife (3411-3-1/2), 7" Santoku-Hollow Edge (3409-7GE), 8" Chef's Knife (3410-8), 8" Bread Slicer-Serrated Edge (3421-8E), 11" Straight Slicer-Hollow Edge (3427-11GE), Kitchen Shears (5866), Sharpening Steel (3303-10) and a Cutlery Case (SCWH-9)
- Knife guards are also included

Item #	Description	Price/ea.
34-982	8-Item Set w/Case	Call

CAMBRO

CAM GOBAG® STANDARD PIZZA BAGS

- Thick, sturdy 600-denier polyester fabric
- Breathable nylon interior protects food quality
- High-density insulation keeps food hot
- Heavy-duty, sewn-in straps and ticket pouch
- Imported



Item #	Description	Price/ea.
GBP216110	Carries Two 16" or Three 14" Pizza Boxes, 16 1/2" L x 18" W x 6 1/2" H, Black	Call
GBP216521	Carries Two 16" or Three 14" Pizza Boxes, 16 1/2" L x 18" W x 6 1/2" H, Red	Call
GBP220110	Carries Two 20" Pizza Boxes or Three 18" Pizza Boxes, 20 3/4" L x 21 3/4" W x 6 1/2" H, Black	Call
GBP220521	Carries Two 20" Pizza Boxes or Three 18" Pizza Boxes, 20 3/4" L x 21 3/4" W x 6 1/2" H, Red	Call
GBP318110	Carries Three 18" or Four 16" Pizza Boxes, 17 1/2" L x 20" W x 7 1/2" H, Black	Call
GBP318521	Carries Three 18" or Four 16" Pizza Boxes, 17 1/2" L x 20" W x 7 1/2" H, Red	Call
GBP518110	Carries Five 18" or Six or More 16" Pizza Boxes, 19 1/2" L x 19 1/2" W x 12 1/2" H, Black	Call



TAYLOR



DIGITAL DISHWASHER THERMOMETER

- Accuracy: +/- 1.8°F and +/- 1°C
- FDA Food Code Compliant for Sanitization
- Designed for use in commercial dishwashers
- IP67 Waterproof and NIST-Traceable

Item #	Description	Price/ea.
8791	32°F to 194°F (0° to 90°C)	Call



SAFETY ZONE REFRIGERATOR/FREEZER THERMOMETER

- Combination thermometer/timer
- Tracks refrigerator & freezer temperatures to constantly monitor safe storage zones
- Once the refrigerator or freezer has entered an unsafe temperature zone, a timer kicks in and counts the amount of time that the appliance has been out of the safe zone
- Comes Preprogrammed with safety zone temperatures for both refrigerator and freezer
- Position in appliance with a magnet, suction cup or built in stand

Item #	Description	Price/ea.
1445	-40° to 176°F	Call

SEASONAL



FOLDING THERMOCOUPLE THERMOMETER

- Digital thermometer with a 1.5mm diameter step down probe (type T)
- Probe can pivot up to 270°
- Stabilized readings are ready in 5 seconds or less
- Hold and auto-off features
- IP67 waterproof rating
- Safe-T-Guard™ antimicrobial casing
- Comes with a black nylon case and includes (1) CR2032 battery



Item #	Description	Price/ea.
98687FDA	-40° to 572°F (-40° to 300°C)	Call



DIGITAL PORTION CONTROL SCALE

- Removable, stainless steel 7.15" x 7.15" platform with marine edge
- 0.7" LCD digits in a 0.9" readout
- Calibration feature allows for in-field adjustment
- Tare and hold functions
- Auto off and disable auto off feature when powered by batteries
- Low battery & overload indicators/Operates on AC adapter (incl.) or 2 AAA batteries (not incl.)

Item #	Description	Price/ea.
TE11FTP	11 lb. x 0.1 oz.	Call



NEW

EXTRA BIG DIGIT TIMER

- Counts up/down
- Last count recall
- Extra big digit
- Loud & long alarm



Item #	Description	Price/ea
TM15	100 Minutes by Minutes/Seconds	Call



THIN TIP POCKET THERMOMETERS

- 1.5 mm thin tip
- 2.75"/7.0 cm stem
- 6 second response
- Field calibration

Item #	Description	Price/ea
DTT450-B	-40° to 450°F/-40° to 230°C, Blue	Call
DTT450-G	-40° to 450°F/-40° to 230°C, Green	Call
DTT450-R	-40° to 450°F/-40° to 230°C, Red	Call
DTT450	-40° to 450°F/-40° to 230°C, Yellow	Call

INFRARED GUN/THERMOCOUPLE THERMOMETER

- Infrared for non-contact surface temperatures
- Thermocouple probe (3.75" L) for internal temperatures
- 1 and 3 second responses
- 1.5 mm thin tip

Item #	Description	Price/ea
INTP662	-76°F to 662°F/-60°C to 350°C	Call



DIGITAL PORTION CONTROL SCALE

- Small profile: 5.35" x 5.35" platform
- Tare function
- Data hold
- Field calibration
- Batteries & power adapter included

Item #	Description	Price/ea
SD1114	11 lb./5kg Capacity	Call



SUBMERSIBLE SCALES

- Submersible (IP67)
- Programmable
- Tare function
- Field calibration

Item #	Description	Price/ea
SD1110X	11 lb./5 kg/176 oz. Capacity	Call
SD2210X	22 lb./10 kg/352 oz. Capacity	Call



BIG DIGIT TIMER

- Easy to read with extra large digits
- Easel stand and magnetic clip back
- Audible buzzer announces when countdown has been reached
- Timing capacity of 99 minutes 59 seconds
- Built-in memory

Item #	Description	Price/ea.
UTL264	AAA Battery Supplied	Call



REFRIGERATOR/FREEZER THERMOMETER

- Designed to hang or stick inside frozen and chilled storage cabinets
- °F/°C switchable
- ±2°F / ±1°C accuracy

Item #	Description	Price/ea.
DRF1	-22°F to 158°F/-30°C to 70°C	Call



TYPE K THERMOCOUPLE FOOD THERMOMETER

- Thermometer with BioCote® protection and waterproof to IP67 standards
- ±1°F accuracy and exceptional battery life of up to 7000 hours
- Permanent clock display. Countdown timer
- Sub-miniature connector for use with wide range of Comark type K probes
- Includes PK19M Probe
- °F or °C temperature scales
- Data hold function and auto switch-off

Item #	Description	Price/ea.
C28KIT	-328°F to 1,112°F/-200°C to 600°C	Call



WATERPROOF ALLERGEN THERMOMETER

- Color-coded for food allergy procedures
- BioCote® antimicrobial protection
- ±2°F / ±1°C accuracy
- Storage sheath with clip
- 1.5 volt battery included


Item #	Description	Price/ea.
KM400AP	-58°F to 400°F/-50°C to 200°C	Call



WATERPROOF POCKET DIGITAL THERMOMETER

- Thin 1.5mm tip probe for fast response
- MAX temperature hold for commercial dishwashers
- Field calibratable
- Slim profile fits flat in pocket
- Data hold to freeze a reading
- 5-Year limited warranty
- BioCote® antimicrobial reduces the risk of cross-contamination

Item #	Description	Price/ea.
PDQ400	-4°F to 400°F/-20°C to 200°C, High Accuracy ± 1°F	Call



SEASONAL

COUNTERTOP MIXERS

- Standard equipment includes a two-piece, stainless steel removable Swing Ring Safety Guard, stainless steel bowl, bowl scraper, batter beater, wire whip, dough hook, #12 PTO hub and bowl scraper
- Variable speed system lets you change speed on the fly
- Made in the USA



SRM12+



FOOD PROCESSOR

SEASONAL

- Features aluminum alloy and stainless steel construction
- Heavy-duty, ventilated motor enables worry-free continuous operation
- Compact design enables easy installation in every kitchen
- A unique feeding system makes it easy to process soft products like mozzarella cheese
- Optional 5 Blade Package includes: SP3, SP8, JP6, GP7, DP8 blades



Item #	Description	Price/ea.
SRM12+	12 qt., 41"H x 33"W x 22"D, 1/3 hp, 115/60/1	Call
SRM20+	20 qt., 35 ⁹ / ₁₆ "H x 16 ⁷ / ₁₆ "W x 27 ⁵ / ₁₆ "D, 1/2 hp, 115/60/1	Call

Item #	Description	Price/ea.
UFP13	Up to 485 lbs./hr., 300 rpm	Call



PLANETARY MIXERS

- Powerful custom-built motor
- Thermal overload protection
- Front-mounted touch pad control panel with digital timer (except SP05)
- Gear-driven transmission
- #12 attachment hub (SP05 #10 hub, SP08 no hub)
- Two year parts and labor warranty



SP20

SP62P

Item #	Description	Price/ea.
SP05	5 qt., 115/60/1, 4A	Call
SP08	8 qt., 1/4 hp, 115/60/1, 5A	Call
SP10	10 qt., 1/3 hp, 115/60/1, 5A	Call
SP20	20 qt., 1/2 hp, 115/60/1, 6A	Call
SP25	25 qt., 3/4 hp, 115/60/1, 11A	Call
SP30	30 qt., 1 hp, 115/60/1, 16A	Call
SP40	40 qt., 2 hp, 220/60/1, 12A	Call
SP60	60 qt., 3 hp, 220/60/1, 23A	Call
SP80PL	80 qt., 3 hp, 208/60/3, 10A	Call
PIZZA MIXERS		
SP30P	30 qt., 1 1/2 hp, 220/60/1, 12A	Call
SP62P	60 qt., 3 hp, 220/60/1, 18A	Call



G12

GLOBE® G-SERIES MEDIUM-DUTY SLICERS

- Features a hard chromed, special alloy hollow ground knife that lasts longer and sharpens easier
- Anodized aluminum construction

- Removable, easy-to-clean chute, slice deflector, knife cover and sharpener and a removable end weight and slide rod
- Includes a No Voltage Release Relay system
- Slices food to 9/16" thick

Item #	Description	Price/ea.
MANUAL		
G10	10" Blade, 1/3 hp, 115/60/1, 3A	Call
G12	12" Blade, 1/2 hp, 115/60/1, 3A	Call
G14	14" Blade, 1/2 hp, 115/60/1, 4A	Call
AUTOMATIC		
G12A	12" Blade, 1/2 hp, 115/60/1, 3A	Call

EASY SLICER™
VEGETABLE SLICER
& BASE

nemco® FOOD EQUIPMENT

- Unique, adjustable, stainless steel blade provides a full range of slicing options for extra versatility and convenience
- Simply turn the thumbscrew control to lock in your setting on the easy-to-read calibrated gauge
- Combine with the optional NEMCO portable food-prep base for a secure workstation, plus easy removal for cleaning and storage
- Optional portable food-prep base comes equipped with mounting bracket that fits the Easy Slicer and other food-prep products
- Suction-cup feet provide incredible stability



55200AN-B

Item #	Description	Price/ea.
55200AN	Adjustable Cut Slicer - 1/16" to 1/2"	Call
55200AN-B	Adjustable Easy Slicer w/Portable Base, 17 1/2" L x 12" W x 2 1/2" H	Call

EASY CHOPPER 3™

- Boasts a number of design enhancements including color coded push blocks, gaskets and blades
- Easily interchanged blade assemblies are completely separate from the guide rods – no need to remove the bumpers



57500-1



Item #	Description	Price/ea.
57500-1	1/4" Square Chop	Call
57500-2	3/8" Square Chop	Call
57500-3	1/2" Square Chop	Call
57500-4	1" Square Chop	Call
57500-5	1/4" Thick Slice	Call
57500-6	3/8" Thick Slice	Call
57500-7	1/2" Thick Slice	Call

GLOBE® POWER DRIVES

- Chop, grate, shred, slice and tenderize
- Boost food prep productivity with a heavy-duty 1 hp motor and an industry standard #12 attachment hub
- Feature brushed stainless steel construction with a one-piece cast hub face and overload protection with manual reset button
- An interlocked power switch prevents inadvertent operation
- Non-scratch, non-slip feet
- One year parts and labor warranty

Item #	Description	Price/ea.
GPD-H	700 RPM	Call
GPD-L	200 RPM	Call



GPD-L



Berkel
Get more done.



MANUAL GRAVITY FEED SLICERS

- Permanent knife guard and built-in sharpener
- High capacity product tray
- Disassemble for cleaning without tools
- Slice thickness to 9/16" on 825A, 827A, 823E, 825E and 827E; to 5/8" on 829E

Item #	Description	Price/ea.
ECONOMY SERIES		
825A	10" Blade, 1/3 hp	Call
827A	12" Blade, 1/2 hp	Call
ENTRY SERIES		
823E	9" Blade, 1/4 hp, 1-speed motor	Call
825E	10" Blade, 1/4 hp, 1-speed motor	Call
827E	12" Blade, 1/3 hp, 1-speed motor	Call
829E	14" Blade, 1/2 hp, 1-speed motor	Call

MID-TIER MANUAL GRAVITY FEED SLICER

- Slice thickness up to 3/4"
- Hollow ground, hardened and polished forged chromium-plated carbon steel knife
- Permanent, tapered knife ring guard covers non-slicing portion of knife, even when the center plate is removed
- Meets new NSF #8 Sanitation Standard



Item #	Description	Price/ea.
829A	14" Blade, 1/2 hp, 21"W x 28"D x 18"H	Call



X13AE

PREMIUM SEMI-AUTOMATIC SLICERS

- Reduced seams through molded parts make this an easy slicer to clean
- Left hand adjusting index knob and controls create a wide open space under the gauge plate for quick, easy cleaning
- One piece molded table is lightweight and easy to remove for cleaning
- Accurate slicing from wafer thin up to 15/16"
- Sharpeners are table-mounted



X13A

Item #	Description	Price/ea.
X13A	13" Stainless Steel Knife, One-Piece Base, Automatic Operation at 30-95 Slices/min., 28"W x 29"D x 25"H	Call
X13AE	13" Stainless Steel Knife, One-Piece Base, 28"W x 29"D x 25"H	Call

PREMIUM MANUAL GRAVITY FEED SLICER

- Sanitary FDA approved polymers and anodized aluminum
- 45° product table
- Kickstand for easy cleaning under the slicer
- Nominal 13" diameter; hollow ground, hardened and polished forged chromium-plated carbon steel knife
- Table-mounted sharpener with Borazon stones that is submersible for cleaning



Item #	Description	Price/ea.
X13E	13" Stainless Steel Knife, One-Piece Base, 30"W x 28"D x 26"H	Call

univex

SEASONAL

DURO™ MANUAL SLICER

- Heavy-duty, belt driven, manual, gravity feed slicer
- German hollow ground hardened steel, high carbon chrome plated blade
- Heavy-duty meat holder
- Built-in sharpener
- Polished anodized aluminum finish



Item #	Description	Price/ea.
7512	12" Blade, 1/2 hp, 115/60/1	Call



ECONOMY LIGHT-DUTY MANUAL SLICER

- Solid anodized aluminum construction with precision German hollow ground slicing blade
- Maximum slice thickness is 1/2"
- Top mounted easy to use sharpener
- Carriage detaches for easy washing/sanitization
- Belt driven

SEASONAL

Item #	Description	Price/ea.
4612	12" Blade, 1/4 hp	Call

VALUE MEDIUM-DUTY MANUAL SLICER

- Precision German hollow ground slicing blade
- Solid anodized aluminum construction
- Belt driven
- Maximum slice thickness is 1/2"
- Top mounted easy to use sharpener
- Carriage detaches for easy washing/sanitization
- Powerful 1/2 hp motor

SEASONAL



Item #	Description	Price/ea.
6612M	12" Blade, 21"W x 26"D x 17 3/4"H	Call



EPP300110



EPP400110



EPP160SW110

CAMBRO

CAM GOBOX® FRONT LOADER INSULATED FOOD PAN CARRIERS

- Amazingly light, unbelievably strong and budget friendly insulated carriers
- Comfortable handles allow easy and safe lifting
- Built-in handles along the top of the front loader units allow them to be easily carried from all four sides and built-in condensation barrier helps front loaders to remain drip-resistant
- Top loading carriers are designed with enough room to hold GN food pans along with Camwarmers® or Camchillers®
- Built-in label area keeps plastic menu tags in place for easy content identification or routing

Item #	Description	Price/ea.
FRONT LOADERS		
EPP300110	(4) 2 1/2"D Full Size Pans, Black	Call
EPP400110	(6) 2 1/2"D Full Size Pans, Black	Call
TOP LOADERS		
EPP260SW110	6"D Half Size Pans, Black	Call
EPP280SW110	8"D Half Size Pans, Black	Call
EPP160SW110	6"D Full Size Pans, Black	Call
EPP180SW110	8"D Full Size Pans, Black	Call

TOWER BAGS

- Durable, high-quality moisture-resistant outer shell material shelters food from elements & help maintain temperature
- Metal steam exhaust port to help maintain food quality
- Strong, heavy-duty double carry straps; strong reinforced plastic side handles
- Reinforced stitching to prevent tears and rips
- All tower bags measure 17"L x 18"W x 22"H



VTB300

VTBW300

Portable Power Pack

Item #	Description	Price/ea.
VTB300	Optional Retrofit Heat Pads	Call
VTB500	Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call
VTB5P00	Portable Power Pack (5 Heat Settings) w/Heat Pad, 120 VAC & 12v Car Charger	Call
Wire Frame Insert Included		
VTBW300	Optional Retrofit Heat Pads	Call
VTBW500	Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call
VTBW5P00	Portable Power Pack (5 Heat Settings) w/Heat Pad, 120 VAC & 12v Car Charger	Call



FOOD BACKPACKS

- 13"L x 16"W x 14"H
- Super durable, high-quality moisture-resistant outer shell material shelters food elements and help maintain temperature
- High-performance insulation to maintain the temperature and quality of food on the go
- Integrated frame for added stability



VDBBM300

Item #	Description	Price/ea.
VDBBM300	Optional Retrofit Heat Pads	Call
VDBBM500	Heat Pad w/120VAC Power Cord, Opt. 12v Power Cord for In-Car Use	Call
VDBBM5P00	Portable Power Pack w/Heat Pad, 120 VAC & 12v Car Charger	Call

PIZZA BAGS

- Moisture-resistant outer shell material shelters food from the elements
- Extra reinforced stitching
- Handles made from heavy-duty webbing
- Special anchor strap to secure bag to bike tray or for hanging



VPB316

- Reflective piping for safer nighttime delivery

Item #	Description	Price/ea.
VPB316	17 1/2"L x 17 1/2"W x 9"H, Optional Retrofit Heat Pads	Call
VPB318	19"L x 19"W x 9"H, Optional Retrofit Heat Pads	Call
VPB516	17 1/2"L x 17 1/2"W x 9"H, Heat Pad w/Power Cord, Opt. 12v Power Cord for Car	Call
VPB518	19"L x 19"W x 9"H, Heat Pad w/Power Cord, Opt. 12v Power Cord for Car	Call
VPB5P18	19"L x 19"W x 9"H, Portable Power Pack w/Heat Pad, 120 VAC & 12v Car Charger	Call



GBD13913110

GBD10101110

GBD211414110

CAMBRO

CAM GOBAG® DELIVERY BAGS

- Thick, sturdy nylon fabric
- Material protects food quality
- High-density insulation keeps food hot or cold
- Heavy-duty, sewn-in straps and ticket pouch
- Large bags include vertical thermal dividers

Item #	Description	Price/ea.
GBD10101110	Small, 10" x 10" x 11"H, Black	Call
GBD13913110	Small, 13" x 9" x 13"H, Black	Call
GBD13913521	Small, 13" x 9" x 13"H, Red	Call
GBD121515110	Medium, 12" x 15" x 15"H, Black	Call
GBD211414110	Large, 21" x 14" x 14"H, Black	Call
GBD211417110	Large, 21" x 14" x 17"H, Black	Call

High-density insulation keeps food hot or cold



HEARTHBAKE COUNTERTOP PIZZA/PRETZEL OVEN

- Combines characteristics of P22S Pizza and Pretzel Oven with those of eP24S Bake and Roast Oven, for when menus include a combination of pizza, bakery and/or roasted entrees
- Each baking compartment independently operator controlled
- Upper oven designed for pizza, pretzels and flat breads and features two 21" square hearth decks, 3/4" deck heights

- Lower oven designed for baking/roasting and features one 21" square hearth deck, 7" deck height

Item #	Description	Price/ea.
P46S	150°F to 550°F Lower Deck, 300°F to 650°F Upper Deck	Call



GP SERIES GAS PIZZA & BAKING COUNTERTOP OVEN

- Each bake chamber has 1" thick ceramic hearth baking decks
- Standard 300°F to 650°F temperature range, 550° bake thermostat available at no charge
- Two independent stainless steel, bottom hinged doors with field reversible handles for left or right hand operation
- Ovens are stackable and have 4" standard adjustable legs
- Heavy-duty industrial grade insulation in top, sides, back, bottom and doors
- All gas types available, CE for natural gas only
- Stainless steel exterior
- Upper deck is easily removed to create a 12" deck height



Item #	Description	Price/ea.
GP-51	2 Decks, 2 Cooking Chambers, 32 5/8"W x 31 1/4"D, 40,000 BTU	Call



BUN GRILL TOASTER

- Available with extended superfeeder to allow for high volume production
- Fast heat-up allows your operation to react to surges in volume
- Self-leveling conveyor automatically adjusts to various sizes of buns, bagels and Texas toasts
- Butter roller and pan consistently covers buns with the perfect amount of butter
- Compact, vertical design allows unit to fit into tight counter areas



Item #	Description	Price/ea.
M-83	500 to 800 Bun Halves/Hour, 120V, 1600W, 13.3A	Call



PANINIPRO™ HIGH-SPEED SANDWICH PRESSES

- Conduction & microwave technology heat & toast at the same time
- Create super fast sandwiches with no need for overhead ventilation
- Compact, narrow design fits virtually any counter space
- Electronic push-button controls, programmed to your specs
- All food contact surfaces feature a tough non-stick coating
- Available in Flat Top/Flat Bottom (FF), Grooved Top/Flat Bottom (GF) & Grooved Top/Grooved Bottom (GG)



Item #	Description	Price/ea.
6900-208-GF	Grooved Top/Flat Bottom, 14 1/2"W x 31"D x 29"H, 208V	Call
6900-240-GF	Grooved Top/Flat Bottom, 14 1/2"W x 31"D x 29"H, 240V	Call



BLACK DIAMOND RADIANT GAS COUNTERTOP CHARBROILERS

- Heavy duty and designed for use with natural or LP gas
- Stainless steel front and sides that are fully welded
- Each unit includes tips for field conversion to LPG
- Stainless steel front bullnose design
- Cast iron grill grates are reversible and height adjustable
- Separate gas valves for each burner with standing pilot ignition system
- Removable stainless steel drip tray for easy cleaning



BDCTC-24

Item #	Description	Price/ea.
BDCTC-24	4 Burners, 24"W, 80,000 BTU	Call
BDCTC-36	6 Burners, 36"W, 120,000 BTU	Call
BDCTC-48	8 Burners, 48"W, 160,000 BTU	Call

BLACK DIAMOND GAS HOT PLATES



BDCTH-12

- Heavy duty gas countertop hot plate is constructed of stainless steel front and sides that are fully welded and able to stand the toughest of kitchen environments
- Each burner puts out 25,000 BTU/hour with two cast iron burners for every 12" grate width
- Units come standard with 4-5" adjustable legs, separate gas valves for each burner with standing pilot lights and a 3/4" rear NPT gas inlet
- Set up for use with Natural Gas (NG) and field convertible to Liquid Propane (LPG)
- 1 year warranty on parts and labor

Item #	Description	Price/ea.
BDCTH-12	2 Burners, 12"W x 30"D x 13 1/2"H, 50,000 BTU	Call
BDCTH-24	4 Burners, 24"W x 30"D x 13 1/2"H, 100,000 BTU	Call
BDCTH-36	6 Burners, 36"W x 30"D x 13 1/2"H, 150,000 BTU	Call



FREE STANDING GAS FRYER

- Long-lasting, easy-to-clean stainless steel fry tank and cabinet
- Trouble-free adjustable casters - 2 swivel with locks and 2 rigid
- Tank brush, clean-out rod and drain extension
- 36 1/4" working height
- Designed to be versatile and used in nearly any location - no electrical hook-up required for fryers without filtration

Designed to be versatile and used in nearly any location



1GR45M

Item #	Description	Price/ea.
1GR35M	35-40 lb., 15 1/2"W x 29 3/4"D x 47 5/8"H, 14" x 14" Tank, 90,000 BTU Input, 3 Tube	Call
1GR45M	45-50 lb., 15 1/2"W x 29 3/4"D x 47 5/8"H, 14" x 14" Tank, 120,000 BTU Input, 4 Tube	Call
1GR65M	65-70 lb., 21"W x 29 3/4"D x 47 5/8"H, 19 1/2" x 14" Tank, 150,000 BTU Input, 5 Tube	Call
1GR85M	85-90 lb., 21"W x 34 3/4"D x 47 5/8"H, 19 1/2" x 18 1/4" Tank, 150,000 BTU Input, 5 Tube	Call



Panasonic COMMERCIAL HIGH SPEED OVEN

- Uses patented technology for rapid cooking
- Create 6 different heating patterns using 3 functions: Convection, Broil & Microwave (with Inverter Technology)

- Designed for kitchens where space is at a premium
- Cool Touch exterior allows multiple units to be stacked
- Ventless cooking technology makes set up a breeze
- LCD panel and up to 1000 memory settings (17 preset)

Item #	Description	Price/ea.
NE-SCV2NAPR	350°F to 525°F, Microwave: 1,200W, Broiler: 1,800W, Convection: 1,150W, 18 11/16"W x 22 1/4"D x 16 3/16"H	Call

PROTECTION CONVECTION OVENS

- Two-speed motor
- Five rack positions
- Can be stacked up to three units high
- Highly sensitive Ametek thermostat control system
- Tempered glass doors
- Full porcelain interior
- Three double nickel-plated oven racks with removable guide assembly
- Two HID oven interior lights with momentary switch
- Stainless steel oven door handles and a convenient cool down mode



PVG-1

GAS RESTAURANT RANGE

- Quad Burner options
- 32,000 BTU lift-off burner heads
- Anti-clogging pilot shield is designed into the top grate
- Chef's depth (26"D) standard oven
- Stamped inner door provides better heat retention
- U-shaped burner and unique burner baffle
- Stainless steel front, ledge, sides, backguard and shelf
- Heavy-duty cast iron top grates remove easily and safely
- Top grate design allows pots to easily slide from section to section
- 5"W stainless steel landing ledge provides a functional working area
- Oven is porcelainized on five contact surfaces
- Oven door is removable for easy access, no tools are required
- One year parts and labor warranty



Item #	Description	Price/ea.
IR-6	36"W, 6 Burners, 227,000 BTU	Call

Oven door is removable for easy access, no tools are required

ELECTRIC RESTAURANT RANGE

- Sealed elements 2 KW round plates with easy-to-clean top surface
- Infinite heat controls for maximum cooking flexibility
- Electric oven provides even cooking temperatures throughout the cavity
- Temperature range from 150°F to 500°F (65°C to 260°C)
- Porcelainized interior provides better browning
- Stainless steel exterior, except back, welded, polished stainless steel seams
- 6" (152 mm) heavy duty legs with adjustable feet
- One year parts and labor warranty

Item #	Description	Price/ea.
IR-6-E	6 Plates, 36"W, 208/1, 84A	Call



C24E03AF



C24E05AF



EO SERIES ELECTRIC BOILERLESS STEAMERS

- Boilerless countertop steamer with auto-fill function
- Rapid cooking with proprietary steam sensing technology using no fans or moving parts
- Connects to a water supply line for automatic water level control and continuous steaming without water filtration or treatment
- No de-liming is typically required
- A drain lever and flexible drain line are also included for fast and easy clean-up
- Controls include an illuminated power switch, a 60-minute timer, off, and constant steam mode switch with buzzer
- Safety features include an over fill light, buzzer, with interlocked door switch

Item #	Description	Price/ea.
C24E03AF	3 Pan Capacity, 24"W x 33"D x 19 1/2"H, 8 kW, 208	Call
C24E05AF	5 Pan Capacity, 24"W x 33"D x 26"H, 12 kW, 208/240V	Call



MANUAL CONVECTION OVENS

- Temperature range from 200°F to 500°F
- Stainless steel construction
- Features convection technology that heats food quickly and evenly



Item #	Description	Price/ea.
GS1130	(4) 1/4 Size Pans, 1,700W, 120V	Call
GS1110-17	(4) 1/2 Size Pans, 1,700W, 120V	Call



REFRIGERATED TOPPING RAIL



- Smaller model for tight counter space
- Refrigerated countertop system that keeps everything at NSF safe temperatures
- Each pan has its own hinged, removable cover
- All pans are completely removable for easy cleaning
- All stainless steel construction and non-adjustable legs

Item #	Description	Price/ea.
RTR-4	(4) 1/6 Size 6"D Pans, 120V	Call



BEVERAGE-AIR

NEW SIZE

FOOD PREP TABLES

- Full electronic control
- Reversible 1/2" thick, "10" deep cutting boards
- Locking divider bars
- Heavy-duty aluminum pan
- Field reversible doors
- 120 degree stay-open feature
- Two epoxy coated shelves per door section standard
- Snap-in door gaskets
- Accommodates up to 6" deep food service pans
- 4" deep 1/6 size polycarbonate pans are included (excludes -A models)
- Heavy duty insulated covers protects products and eliminates sweating when closed
- 6" heavy duty casters standard
- 3" casters or 6" leg option available at no charge when specified on order
- 3 year parts & labor warranty with an additional 2 year compressor warranty



SPE27HC-08

Item #	Description	Price/ea.
SPE27HC-08	1 Door, 2 Shelves, 6.91 cu. ft., 27"W x 32"D x 39 3/8"H	Call
SPE32HC-08	1 Door, 2 Shelves, 8.01 cu. ft., 32"W x 32"D x 39 1/4"H	Call
SPE36HC-08	2 Doors, 4 Shelves, 10.01 cu. ft., 36"W x 32"D x 39"H	Call
SPE48HC-08	2 Doors, 4 Shelves, 13.01 cu. ft., 48"W x 32"D x 39 1/4"H	Call
SPE60HC-08	2 Doors, 4 Shelves, 16.02 cu. ft., 60"W x 32"D x 39"H	Call
SPE72HC-08	3 Doors, 6 Shelves, 20.02 cu. ft., 72"W x 32"D x 39"H	Call



DP119HC



BEVERAGE-AIR

FOOD PREP TABLES

- New duct system features uniform airflow distribution over evaporator coil and throughout raised rail
- Newly designed easy-open lid system provides easier accessibility
- Electronic controller with smart-defrost
- Electrical defrost heater terminates defrost sooner, reducing product instability
- Right or left compressor placement specify at time of order
- Field reversible doors
- 120 degree stay open feature
- Heavy-duty aluminum pan liner
- Accommodates up to 6" deep food service pans
- Removable service panel for easy access to refrigeration system
- Featuring environmentally friendly energy efficient R290 refrigerant

Item #	Description	Price/ea.
DP46HC	1 Door, 2 Shelves, 11.91 cu. ft., 46"W x 36 7/8"D x 49 3/8"H	Call
DP60HC	2 Door, 4 Shelves, 17 cu. ft., 60"W x 37"D x 49 1/2"H	Call
DP67HC	2 Door, 4 Shelves, 20.68 cu. ft., 67"W x 37"D x 49 1/4"H	Call
DP72HC	2 Door, 4 Shelves, 21.87 cu. ft., 72"W x 37"D x 49 3/4"H	Call
DP93HC	3 Door, 6 Shelves, 31.54 cu. ft., 93"W x 37"D x 49 3/8"H	Call
DP119HC	3 Door, 6 Shelves, 42.2 cu. ft., 119"W x 37"D x 49 3/8"H	Call

VERTICAL AIR CURTAIN MERCHANDISERS



Admiral Craft
EQUIPMENT CORP.

- Self-contained merchandising refrigerator provides customers with easy and convenient access to foods and products
- The digital temperature controller maintains storage temperatures in a range of 35.6°F to 50°F
- Display case features ventilated cooling & automatic defrost systems, as well as a pull-down curtain for power-saving purposes (when not in use)
- The open construction, stainless steel finish, and shelf brightly lit by 3 LEDs, offer an easy and convenient customer experience
- R404A refrigerant

BDEVACM-200



Item #	Description	Price/ea.
BDEVACM-200	200 Liter, 39 2/5"W x 25"D x 49 1/5"H, 11.7A, 1280W	Call
BDEVACM-220	220 Liter, 19"W x 26 1/2"D x 68 2/3"H, 11.2A, 1230W	Call
BDEVACM-250	250 Liter, 24"W x 29 7/10"D x 67"H, 12A, 1300W	Call



MB MASTER-BILT®
Refrigeration Solutions

DELUXE ICE CREAM DIPPING/DISPLAY MERCHANDISER

- Independent compressor and light switch
- Tempered plate glass viewing window

- Convenient floor drain
- Standard top and side lid wiper gaskets for sanitary purposes

Item #	Description	Price/ea.
DD-46	8/4 Can Display/Storage, 9.6 cu. ft., 47 3/4"L x 27 3/4"D x 50"H, 1/2 hp, 115V, 7.5A	Call

MB MASTER-BILT®
Refrigeration Solutions

COLDIN-3™ FLAT LID DISPLAY FREEZER

- Features many built-in conveniences such as baskets, floor drains, external thermometers and locks
- R290 natural refrigerant
- Standard LED lighting
- Heavy-duty 2" casters add mobility
- Bottom drain with plug



Item #	Description	Price/ea.
MSF-31AN	2 Baskets, 6 cu. ft., 31"L x 27"D x 33"H Flat Tempered Glass Sliding Lids, 115V, 1.1A	Call

BLACK DIAMOND SLIDING GLASS DOOR CHEST FREEZER



Admiral Craft
EQUIPMENT CORP.

- Tempered sliding glass doors with coated trim
- White PCM aluminum interior
- Brilliant internal LED illumination
- Environmentally-friendly R290 refrigerant
- Manual temperature controller with light up indicators/manual defrosting
- Inside the unit: wire-coated baskets for organization; drain plug for easy cleaning
- 1 year warranty on parts and labor



BDCF-6-CG

Item #	Description	Price/ea.
BDCF-6-CG	6.4 cu. ft., 2 Baskets	Call
BDCF-9-CG	9.6 cu. ft., 3 Baskets	Call
BDCF-12-CG	12.5 cu. ft., 4 Baskets	Call
BDCF-15-CG	15.7 cu. ft., 5 Baskets	Call
BDCF-19-CG	19.2 cu. ft., 6 Baskets	Call





T-SERIES SOLID DOOR REFRIGERATORS & FREEZERS

- Environmentally friendly hydrocarbon refrigerant that has zero ozone depletion potential (ODP) and three global warming potential (GWP)
- Refrigerators have a high capacity, factory balanced refrigeration system that maintains cabinet temperatures of 33°F to 38°F
- Freezers have an extra large evaporator coil balanced with higher horsepower compressor and large condenser maintains -10°F
- Stainless steel solid door and front
- Adjustable, heavy-duty PVC coated shelves
- Positive seal self-closing door



T-49F-HC



T-23-HC, T-23F-HC:



T-49-HC, T-49F-HC:



T-72-HC, T-72F-HC:



REFRIGERATORS

Item #	Description	Price/ea.
T-23-HC	1 Door, 3 Shelves, 27" L x 29 1/2" D x 78 3/8" H, 1/4 hp, 2.2A	Call
T-49-HC	2 Doors, 6 Shelves, 54 1/8" L x 29 1/2" D x 78 3/8" H, 1/2 hp, 5.4A	Call
T-72-HC	3 Doors, 9 Shelves, 78 1/8" L x 29 1/2" D x 78 3/8" H, 3/4 hp, 6.9A	Call

FREEZERS

Item #	Description	Price/ea.
T-23F-HC	1 Door, 3 Shelves, 27" L x 29 1/2" D x 78 3/8" H, 1/2 hp, 3.7A	Call
T-49F-HC	2 Doors, 6 Shelves, 54 1/8" L x 29 1/2" D x 78 3/8" H, 1 hp, 9.6A	Call
T-72F-HC	3 Doors, 9 Shelves, 78 1/8" L x 29 1/2" D x 78 3/8" H, 3/4 hp, 14A	Call

GLASS SWING DOOR MERCHANDISERS

- Environmentally friendly R290 hydro carbon refrigerant that has zero ozone depletion potential (ODP) and three global warming potential (GWP)
- Units hold temperatures from 33°F to 38°F
- Non-peel or chip black powder coated cold rolled steel; durable and permanent exterior
- Self-closing, "Low-E", double pane thermal insulated glass doors
- LED interior lighting

Item #	Description	Price/ea.
GDM-23-HC-TSL01	1 Swing Door, 4 Shelves, 27" L x 29 7/8" D x 78 5/8" H, 1/3 hp, 5.4A	Call
GDM-49-HC-TSL01	2 Swing Doors, 8 Shelves, 54 1/8" L x 29 7/8" D x 78 5/8" H, 1/2 hp, 8.5A	Call



GDM-23-HC-TSL01



GDM-47-HC-LD

GLASS SLIDE DOOR MERCHANDISERS

- Factory engineered, self-contained, capillary tube system using environmentally friendly R290 hydro carbon refrigerant that has zero ozone depletion potential (ODP), & three global warming potential (GWP)
- High capacity, factory balanced, refrigeration system holds 33°F to 38°F (5°C to 3.3°C) for best food preservation in extreme conditions

Item #	Description	Price/ea.
GDM-45-HC-LD	2 Slide Doors, 8 Shelves, 51 1/8" L x 29 5/8" D x 78 5/8" H, 1/2 hp, 8.5A	Call
GDM-47-HC-LD	2 Slide Doors, 8 Shelves, 54 1/8" L x 29 5/8" D x 78 5/8" H, 1/2 hp, 8.5A	Call



QUADPLUS® ANTIMICROBIAL POLYMER SHELF MATS

- Removable, green polymer shelf mats with Valu-Gard epoxy-coated standard wire truss frames
- Mats lay securely on top of truss frame or standard wire shelf
- Mats feature MICROGARD® antimicrobial protection
- 800 lb. weight capacity for shelves up to 48", 600 lb. 54" - 72", evenly distributed
- Easy assembly with no tools required
- Dishwasher safe
- QuadPlus® shelves can be installed on same shelving unit

as standard QuadTruss® wire shelves

- Louvered shelf mats also available, replace -GS suffix with -GL
- Temperature rating: -20° to 125°F

Item #	Description	Price/ea.
QPF-1836VG-GS	Standard Wire Truss Frame, Solid, 18" x 36"	Call
QPF-1848VG-GS	Standard Wire Truss Frame, Solid, 18" x 48"	Call
QPF-1860VG-GS	Standard Wire Truss Frame, Solid, 18" x 60"	Call
QPF-1872VG-GS	Standard Wire Truss Frame, Solid, 18" x 72"	Call
QPF-2436VG-GS	Standard Wire Truss Frame, Solid, 24" x 36"	Call
QPF-2448VG-GS	Standard Wire Truss Frame, Solid, 24" x 48"	Call
QPF-2460VG-GS	Standard Wire Truss Frame, Solid, 24" x 60"	Call
QPF-2472VG-GS	Standard Wire Truss Frame, Solid, 24" x 72"	Call



QUADTRUSS® WIRE SHELVING

- Patented QuadTruss® design makes shelves up to 25% stronger and provides a retaining ledge for increased storage stability
- Posts are numbered on 1" increments for easy assembly and feature adjustable leveling feet
- Available in five finishes

Item #	Description	Price/ea.
1848VG	18" x 48", Valu-Gard® Green Epoxy, Five Year Warranty	Call
1860VG	18" x 60", Valu-Gard® Green Epoxy, Five Year Warranty	Call
1872VG	18" x 72", Valu-Gard® Green Epoxy, Five Year Warranty	Call
2436VG	24" x 36", Valu-Gard® Green Epoxy, Five Year Warranty	Call
2448VG	24" x 48", Valu-Gard® Green Epoxy, Five Year Warranty	Call
2460VG	24" x 60", Valu-Gard® Green Epoxy, Five Year Warranty	Call
2472VG	24" x 72", Valu-Gard® Green Epoxy, Five Year Warranty	Call

POSTS

- Numerically grooved in 1" increments
- Includes post cap and leveling bolt

Item #	Description	Price/ea.
P63-VG	63", Valu-Gard®	Call
P74-VG	74", Valu-Gard®	Call
P86-VG	86", Valu-Gard®	Call





Scotsman

PRODIGY PLUS® MODULAR CUBE ICE MACHINES

- Self-monitoring cuber
- Advanced ice level control or an optional feature board for quick diagnostics
- Intuitive technology like AutoAlert™ indicator lights

C0322MA-1

- Reduced operational footprint and easy-access service from the front panel

SMALL CUBES

Item #	Description	Price/ea.
C0322SA-1	Makes 356 lbs./Day, 22"W x 24"D x 23"H	Call
C0330SA-1	Makes 400 lbs./Day, 30"W x 24"D x 23"H	Call
C0522SA-1	Makes 475 lbs./Day, 22"W x 24"D x 23"H	Call
C0530SA-1	Makes 525 lbs./Day, 30"W x 24"D x 23"H	Call

MEDIUM CUBES

Item #	Description	Price/ea.
C0322MA-1	Makes 356 lbs./Day, 22"W x 24"D x 23"H	Call
C0330MA-1	Makes 400 lbs./Day, 30"W x 24"D x 23"H	Call
C0522MA-1	Makes 475 lbs./Day, 22"W x 24"D x 23"H	Call
C0530MA-1	Makes 525 lbs./Day, 30"W x 24"D x 23"H	Call

PRODIGY PLUS® MODULAR NUGGET ICE MACHINES

- Soft, chewable nugget ice production
- AutoAlert™ indicator lights
- Advanced ice level control
- Small operational footprint and easy-access service from the front panel



N0422A-1



Item #	Description	Price/ea.
N0422A-1	Makes 420 lbs./Day, 22.9"W x 24"D x 23"H	Call
N0622A-1	Makes 643 lbs./Day, 22.9"W x 24"D x 23"H	Call
N0922A-32	Makes 956 lbs./Day, 22.9"W x 24"D x 27"H	Call

Scotsman

MODULAR ICE STORAGE BINS

- Fits Prodigy Plus® Modular Cube Ice Makers
- Convenient built-in scoop holder and easily removable baffle for easy operation
- Unique, recessed drain fitting provides maximum installation flexibility
- Available in stainless or poly finish
- Add 6" height for bin legs



STAINLESS FINISH

Item #	Description	Price/ea.
B322S	370 lbs. Storage, 22"W x 34"D x 44"H	Call
B530S	536 lbs. Storage, 30"W x 34"D x 44"H	Call
B948S	893 lbs. Storage, 48"W x 34"D x 44"H	Call

POLY FINISH

Item #	Description	Price/ea.
B330P	344 lbs. Storage, 30"W x 34"D x 31"H	Call
B530P	536 lbs. Storage, 30"W x 34"D x 44"H	Call



B330P

Ice-O-Matic

Ice. Pure and Simple

ELEVATION SERIES™ MODULAR CUBE ICE MAKERS

- 22" & 30" Modular Cube Ice Maker w/Wide Space-Saving Design
- One-touch sanitizing and descaling ensure the ultimate in food safety
- Unique Food Zone made from BPA-free dishwasher-safe plastic components
- Exclusive dual exhaust discharges hot air from both the side and the top of the machine for unbeatable installation flexibility
- Plug and play design requires little setup time

- Available in half cube (H), full cube (F), grande cube (G), air cooled (A), water cooled (W) and remote cooled (R)



GEMU090

Item #	Description	Price/ea.
CIM0330HA	30", Up to 316 lbs./24 hr.	Call
CIM0836HA	30", Up to 896 lbs./24 hr.	Call
CIM1136HA	30", Up to 1035 lbs./24 hr.	Call
CIM0320HA	22", Up to 313 lbs./24 hr.	Call
CIM0430HA	30", Up to 500 lbs./24 hr.	Call
CIM0520HA	22", Up to 586 lbs./24 hr.	Call
CIM0530HA	30", Up to 586 lbs./24 hr.	Call
CIM0826HA	22", Up to 922 lbs./24 hr.	Call
CIM1126HA	22", Up to 1035 lbs./24 hr.	Call

PEARL® SELF-CONTAINED ICE MACHINE

- 15" wide design produces up to 85 lbs. of pearl ice in a 24 hr. period
- 22 lbs. storage capacity

Item #	Description	Price/ea.
GEMU090	Space-Saving Ice Machine	Call

MB MASTER-BILT

Refrigeration Solutions



ICE CREAM STORAGE/DIPPING CABINET

- Seamless stainless steel top to resist corrosion
- Convenient floor drain
- Attractive 24 gauge white painted steel cabinet
- Anti-condensate heaters under stainless top cap
- Thick 2 1/4" foamed-in-place urethane insulation allows cabinets to keep a consistent low temperature

Item #	Description	Price/ea.
DC-8D	11/8 Display/Storage Capacity in 3 Gallon Cans, 54"L x 30 1/8"D x 34 1/8"H, 1/3 hp, 115/60/1	Call



HS-1

HS-19



HEAVY DUTY 4" CENTER ELECTRONIC DECK MOUNT FAUCET

- Infrared sensor turns water on and off for hands free, fast and safe operation
- Helps conserve water. Operates on battery power or A/C supply (battery included)
- Battery life is 1 to 3 years, based on usage
- Built-in low battery indicator light
- Lead free and ADA compliant

Item #	Description	Price/ea.
16-197	4" Center	Call

9"W SPACE SAVER WALL MOUNT HAND SINKS

- Stainless steel construction
- Wall bracket included
- 4" center faucet with 4 1/2" double bend spout
- 5" deep bowl
- 9"W x 13"H x 12"D overall

Item #	Description	Price/ea.
HS-1	w/Faucet, 9"W	Call
HS-19	w/Faucet & Side Splashes, 9"W	Call



HEAVY DUTY 8" CENTER WALL MOUNT FAUCETS

- Built for high volume use
- 1/4 turn ceramic cartridge valves with internal check
- 1/2" NPT male inlets
- 1.8 GPM aerator
- Heavy duty spout with double o-ring construction
- High precision machining and polished nickel chromium finish
- Mounting kit included

Item #	Description	Price/ea.
14-808L	8" Center, 8" Spout	Call
14-812L	8" Center, 12" Spout	Call
14-814L	8" Center, 14" Spout	Call

GAS CONNECTOR COMPLETE KIT

- Ends rotate for simple installation and durability
- Heavy duty stainless steel corrugated tubing flexibility for easy installation
- Heavy duty stainless steel radial wrap prevents hose from stretching
- PVC protective coating with anti-microbial agent for easy cleaning
- Welded construction for added durability
- Restraining Kit provided 12" shorter than the gas connector to help prevent strain and over extension

- Includes: Gas Hose, Quick Disconnect, Gas Valve, Restraining Cable w/Mounting Hardware, (2) 90° elbows



Item #	Description	Price/ea.
M7536K	36"L	Call



SWIVELKING™

- Both ends rotate a full 360° to substantially reduce stress on gas hose
- Heavy-duty stainless steel construction
- No reduction in gas flow
- Extends life of hose and saves space

Item #	Description	Price/ea.
SW75	Fits 3/4" Gas Connector	Call

ULTRA LOW PROFILE 4" x 5" PLATE CASTERS

- 1" swivel wheels with brakes
- 200 lbs. per wheel capacity
- Grease resistant wheels
- Raises table height 2"
- Temperature range: 4°F to 176°F



Item #	Description	Price/ea.
28-168S	1" Wheels, Set of 4	Call

1 5/8" STEM WORKTABLE CASTERS

- 5" swivel wheels with brakes
- Extending stem fits 1 5/8" legs
- Grease resistant wheels
- Raises table height 6"
- Temperature range: 14°F to 212°F



Item #	Description	Price/ea.
28-129S	5" Wheels, Set of 4	Call

CASTER POSITIONING CHOCK

- Creates a home position for caster-mounted kitchen equipment
- Stainless steel construction designed to fit all caster sizes
- Satisfies requirements of NFPA Codes 17A (5.6.4) and 96 (12.1.2.3)
- Contents include (2) chocks and mounting hardware

Item #	Description	Price/ea.
28-200	Caster Positioning Chock	Call



HIGH TEMP UNDERCOUNTER GLASS WASHER

- Soft Start feature lowers noise, reduces chance of glass breakage
- Reduces water vapor for under bar application
- 304 stainless steel construction
- 20 racks or 600 glasses/hr. (30 glasses/rack)
- Safe-T-Temp booster heater for a 70°F rise
- 3-minute cycle; automatic fill function
- 180°F fresh water final rinse
- Detergent and rinse aid chemical pumps
- Raised door height makes it easier to remove racks
- Heat Recovery System promotes faster glass drying
- Uses only cold water supply



Item #	Description	Price/ea.
181 VL	33 ³ / ₈ "H x 24"W x 27"D	Call

LOW TEMP VENTLESS DISH MACHINE

- No vent hood required; saves thousands of dollars on installation
- The Waste Air Heat Recovery system removes heat and water vapor that normally would be released when opening dishmachine doors, utilizing that energy to preheat the incoming water; this saves energy while creating a safer and more comfortable environment
- High tech condensation method converts the vapor to water, which evacuates the wash chamber at the end of the cycle
- Three-door system for straight-thru or corner applications
- Built-in "booster heater" assures proper wash and rinse temperatures
- Auto start system
- Programmable (three-product) dispensing system
- Water saving (1.09 gallons of water per rack of dishes)
- Automatic HR condenser cleaning system for daily coil wash-down

Item #	Description	Price/ea.
EST VL	25"W x 29 ¹ / ₂ "D x 85 ⁵ / ₁₆ " to 86 ⁵ / ₁₆ "H 30 racks/hr. (90-sec. cycle & 30-sec. chamber purge)	Call



HIGH TEMP VENTLESS DISH MACHINES

- Features the new Ventless Heat Recovery and Condensation Removal option
- Safe-T-Temp feature assures 180°F sanitizing rinse cycle
- All stainless steel construction
- Heat Recovery System captures water vapor from the wash cycle and condenses it in order to heat the incoming cold water
- Cleans up to 40 racks per hour

Item #	Description	Price/ea.
180 VL	29"D x 25 ¹ / ₂ "W x 85 ⁵ / ₁₆ " to 86 ⁵ / ₁₆ "H	Call
180 Tall VL	Tall Model, 29"D x 25 ¹ / ₂ "W x 95 ⁵ / ₁₆ " to 96 ⁵ / ₁₆ "H	Call



No vent hood required; saves thousands of dollars on installation



Champion
The Dishwashing Machine Specialists



UNDERCOUNTER DISHWASHING MACHINE

- Wash Refresh™ - Automatically drains the water for the next cycle, ensuring heavily soiled items are always sanitized with new wash water
- Pumped drain
- StemSure™ - Soft start to protect glasses and dishes from chipping and breaking
- "Shear Energy" for a reduction in energy requirements while maximizing performance
- "Multi-Power" allows for easy infield conversion to 208-240 volt and/or single to three phase
- Rinse Sentry extends the cycle time to ensure 180°F final rinse
- Built-in electric booster for 180°F final rinse water
- Quiet double-wall construction
- Advanced digital temperature monitoring
- Door safety switch
- Electric tank heater; low-water tank heat protection
- Built-in detergent, rinse-aid and sanitizer dispensing pumps
- Upper & lower interchangeable wash/rinse spray arms
- Top mounted controls, prime switch on control panel
- Stainless steel top & side panels
- One year parts and labor warranty

CALL
for details on
pricing & options

Item #	Description	Price/ea.
UH-130B	High Temperature, 1 hp Motor Wash Pump, 25 Racks/hr., 141 Second Cycle	Call

UPRIGHT VENTLESS DISHWASHING MACHINE

- Factory authorized startup
- HMI - Operator Touch Screen Interface
- On-board service diagnostics
- Field convertible - single to three, or three to single phase
- Sleep programmable - All internal heaters shut off after selected time is reached
- Door interlock - locks door closed during cycle
- Built-in booster configured to ensure 180° rinse
- Cold water feed only
- Field convertible from straight to corner operation
- Dual NSF listed as both a dishwasher and potwasher
- Rinse Sentry - ensures 180°F final rinse
- Auto start - starts unit when hood is closed
- Single or dual point electrical connection
- Self-draining pump
- Automatic tank fill/Automatic drain valve - drains wash tank when power is off
- PRV (Mounted Pressure Reducing Valve)
- 4 selectable cycles
- One year parts and labor warranty
- New options: Built-in detergent and rinse aid pumps; Champion ION scale prevention systems

Item #	Description	Price/ea.
DH-6000T-VHR	Ventless Heat Recovery Condensate Removal, Door, High Temp, 27" Vertical Clearance, 40 Racks/hr., 2 hp Motor Wash Pump	Call



SUMMER SAVINGS

EVENT

FREE GIFT

with \$25 in-store purchase

One time use per company. In-store only. Must surrender coupon in store. Valid 7/1 - 9/30/19.

CALDARELLA'S
RESTAURANT SUPPLY

Family owned & operated since 1898

Telephone: (915) 771-7780

Toll Free: 1 (877) 741-8038

caldarellas.com

WE NOW CARRY
Ice-O-Matic
Ice. Pure and Simple



CALDARELLA'S
RESTAURANT SUPPLY

Family owned & operated since 1898

is now a distributor for Ice-O-Matic!

We now stock ice machines and filters,
and are also able to help with parts.

The CIM0330/0335 modular cube ice machine offers a safe and
user-friendly machine packed with innovative features to simplify life.

GIVE US A CALL FOR MORE INFORMATION OR TO ORDER!

(915) 771-7780

CALDARELLA'S RESTAURANT SUPPLY

201 NORTH CLARK DRIVE

EL PASO, TEXAS 79905

WWW.CALDARELLAS.COM



VISIT US

201 North Clark Drive
El Paso, Texas 79905
9 AM - 5 PM Monday -
Friday
9 AM - 12 PM Saturday

CALDARELLA'S RESTAURANT SUPPLY

Family owned & operated since 1898

GIVE US A CALL

Telephone: (915) 771-7780
Toll Free: 1 (877) 741-8038
Fax: (915) 771-6124

CONNECT ONLINE

Email: tessa@caldarellas.com
Facebook:
CaldarellasRestaurantSupply

Prices & specifications are subject to change. Some items may be special order. Not responsible for typographical errors.


Freight Transportation Charges: All Prices, except where noted, do not include freight and delivery. All truck shipments are freight collect. UPS charges must be added to your invoice. **Claims:** All merchandise should be checked against packing slip. Any damage or loss sustained in shipment should be reported to the carrier and noted on the freight bill. **Price Changes:** All Prices and specifications are subject to change without notice. Items on which there has been a major increase will not be shipped. We assume minor changes are understandable and ship accordingly. **Returns:** No returns will be accepted without prior authorization. Please call us first for your protection. **Note:** Some items may be shipped special order. Prices good until 9/30/2019.



POLISHING CLOTHS

- These lint free cloths are designed to polish delicate spaces
- Soft, smooth material cleans surfaces without scratching
- Removes fingerprints and watermarks
- Machine washable

Item #	Description	Sell Unit	Price/pk.
MFPCGY	16" x 16", Gray w/White Trim	6/pk, 24pk/cs	Call
MFPCWH	16" x 16", White w/Blue Trim	6/pk, 24pk/cs	Call



MICROFIBER TOWELS

- Highly absorbent 80% polyester/20% polyamide
- Lint-free; great for dusting - attracts dust and dirt
- Ideal for drying & polishing - removes fingerprints, streaks, water spots
- 3 options to choose from - 2 sizes of 250 GSM towels, heavy-duty 350 GSM towels
- Lasts longer than traditional cotton towels; reusable and machine washable

Item #	Description	Price/dz.
MFTHDBL	16" x 16", Heavy-Duty Microfiber, Blue/White	Call
MFTHDMT	16" x 16", Heavy-Duty Microfiber, Mint/White	Call
MFTWH	16" x 16", Microfiber White/Blue	Call
MFTBL	16" x 19", Microfiber Blue/Blue	Call
MFTMT	Microfiber Wiper: 16" x 16", Mint Green	Call



MFTHDMT



RITZ® 685° SILICONE OVEN MITT & POT HOLDER

- Temperature resistant up to 685°; Bleach resistant & dishwasher and laundry safe
- FDA approved & food safe
- Mitt has unique tread design for confident grip; silicone exterior, 100% cotton interior
- Mitt protects against steam, boiling water, heat, fryer oil, and flames; won't smoke or burn in open flames

Item #	Description	Price/ea.
RZS685BK17	17", Black Oven Mitt	Call
RZS685PHBK8	8" x 9", Black, Pot Holder Doubles as a Trivet	Call



BIB APRONS

- Vinyl apron with adjustable neck & tubular-nylon ties for easy adjustment
- Wipes clean with damp cloth

Item #	Description	Price/ea.
VA	26"W x 28 1/2"L, Vinyl	Call
VAHD	26"W x 28"L, 1mm Thick, Brown Heavy-Duty Vinyl	Call



VA



OSVA

VINYL BIB DISHWASHER APRON

- Long, lightweight clear vinyl apron is ideal for anyone working in wet or messy conditions
- Dishwasher or food prep workers will use this apron
- Bib front style protects clothing from neck to lower legs

Item #	Description	Price/ea.
OSVA	34" x 47", Clear	Call

CLEANING APRON

- Bib apron without pockets
- Made from tough, backpack-style rubberized vinyl that is chemical and abrasion-resistant

Item #	Description	Price/ea.
NPBIARBK	30" x 34", Black	Call



NPBIARBK